Bitec Dental Lab (Thailand) Co., Ltd.

**ORDER FORM**

Dentist: _____ Order Date: _____

Patient: _____ Return Date: _____

Gender: ☐ Male ☐ Female Age: _____ Time: _____

**Work Type**

**Fixed Work**

☐ Porcelain Fused to Metal (PFM)
☐ Full Metal Crown (FMC)
crown / inlay / onlay
☐ Mary land bridge
☐ Implant (most common systems)
**SENT NECESSARY ABUTMENTS**
☐ Stift crown (crown with pin)
☐ Post & Core
☐ Inlay / onlay

**Ceramic work**

☐ IPS-emax
crown / inlay / onlay / veneer
☐ Zirconium crown
☐ Zirconium bridge

**Removable Work**

☐ Partial Frame (only metal frame)
☐ Partial denture framework
☐ Acrylic Denture
☐ Full Denture
☐ Valpast / Vitaflex
☐ Nightguard
☐ Sportguard / Mouthguard
☐ Splint
☐ Others _____







| | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 18 | 17 | 16 | 15 | 14 | 13 | 12 | 11 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 |
| 48 | 47 | 46 | 45 | 44 | 43 | 42 | 41 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 |

**Alloy**

☐ Non Precious
☐ Semi Precious
☐ Yellow ☐ White
☐ High Precious
☐ Yellow ☐ White

**Margin Design**

☐ No metal margin
☐ Buccal metal margin _____ mm.
☐ Lingual metal margin _____ mm.
☐ Occlusal metal
☐ Metal / distal _____ mm.
☐ Porcelain margin (only if shoulder prepared)

**Metal Design**

Pontics:



☐ ☐ ☐ ☐ ☐

Metal Coping Lingual

☐ ☐ ☐

**Shade**



Translucent_____
Vita
Shade_____
Cervival Staining:
☐ yes ☐ no



Fissur Staining (surface)
☐ no ☐ light ☐ medium ☐ heavy

Occlusal Staining
☐ no ☐ light ☐ medium ☐ heavy

**INSTRUCTIONS:**

**Enclosed:**

☐ working model ☐ study model ☐ shade
☐ imprint / tray ☐ bite ☐ photo
☐ die ☐ articulator ☐ others_____

520 Floor 5,6 Ratchadapisek 26, Ratchadapisek Rd., Samsennok, Huay-Kwang, Bangkok 10320 Thailand
Tel: + 66 2 541-4541 Fax: + 66 2 541-5753 email: info@bitec-thailand.com